



American Jewel Window System, Inc.  
80 Industrial Road Lodi, NJ 07644


***Manufacturer's Certification Statement***  
(American Recovery and Reinvestment Act of 2009)

Dear Homeowner/Taxpayer,

As required by the Internal Revenue Service (IRS) for the qualifying tax credits for replacing your windows/doors in your primary residence, this Manufacturer's Certification Statement lists certain American Jewel (HeatGate®) window/door products that are eligible for the tax credits as identified in the American Recovery and Reinvestment Act of 2009. The IRS has published tax-related interpretations for "non-business energy property"-which are energy efficiency improvements as shown in the IRS Notice 2006-26. The IRS has also defined windows and doors that are eligible for the tax credits of the American Recovery and Reinvestment Act of 2009 as "Eligible Building Envelope Components."

Following the IRS guidelines, American Jewel Window Systems, Inc., has determined the attached (Exhibit A) American Jewel window/doors are "Eligible Building Envelope Components" and qualify for the credit allowed under the IRS Code Section 25C, when installed as an exterior window or door in all U.S. climate zones, provided they are purchased and installed from January 1, 2009 through December 31, 2010.

Under penalties of perjury, I declare that I have examined this certification statement, and to the best of my knowledge and belief, the facts are true, correct, and complete.



Joel Cuccio  
President/CEO

**Note:**

- a). HeatGate® is a registered trademark of American Jewel Window Systems, Inc.
- b). IRS Notice 2006-26 suggests the taxpayer is not required to attach this certificate statement to their tax return. However, the taxpayer should retain this certification statement as part of their tax records. As in all tax matters, the taxpayer is advised to consult their tax professional.
- c). American Jewel Window Systems, Inc., and its sales and distribution partners assume no liability regarding the taxpayer/homeowner's ability to obtain tax credits.



## 2009-2010 Tax Credit Eligible Window Series

Window series other than HEAT-Gate

**MUST be ordered with Low-E to be tax credit eligible.**

Window Series		Window Style	U-Factor	Solar Heat Gain Coefficient	Visible Transmittance	Tax Credit Qualified
1000	7/8" Dual Glazed	Double Hung	0.30	0.28	0.53	Yes
1000	7/8" Dual Glazed	2 & 3 Lite Slider	0.29	0.28	0.52	Yes
1000	7/8" Dual Glazed	Hopper	0.30	0.30	0.55	Yes
1100	7/8" Dual Glazed	Double Hung	0.30	0.28	0.53	Yes
1100	7/8" Dual Glazed	2 & 3 Lite Slider	0.29	0.28	0.52	Yes
1100	7/8" Dual Glazed	Hopper	0.30	0.30	0.55	Yes
1400	7/8" Dual Glazed	Double Hung	0.30	0.28	0.53	Yes
1400HP†	7/8" Dual Glazed	Double Hung	0.27	0.28	0.52	Yes
1400HP	7/8" Triple Glazed	Double Hung	0.21	0.22	0.40	Yes
1400HP w/ Thermal Gate	7/8" Tri-Pane	Double Hung	0.25	0.28	0.51	Yes
1400	7/8" Dual Glazed	2 & 3 Lite Slider	0.29	0.28	0.52	Yes
1400HP	7/8" Dual Glazed	2 & 3 Lite Slider	0.29	0.28	0.52	Yes
1400HP	7/8" Triple Glazed	2 & 3 Lite Slider	0.21	0.22	0.40	Yes
1400HP w/ Thermal Gate	7/8" Tri-Pane	2 & 3 Lite Slider	0.28	0.28	0.51	Yes
1500	7/8" Dual Glazed	Double Hung	0.30	0.29	0.54	Yes
1500	7/8" Dual Glazed	2 & 3 Lite Slider	0.29	0.28	0.52	Yes
1500	7/8" Dual Glazed	Hopper	0.30	0.30	0.55	Yes
1700 HG	7/8" Dual Glazed	Double Hung	0.26	0.28	0.52	Yes
1700 HG w/Grilles	7/8" Dual Glazed	Double Hung	0.26	0.26	0.48	Yes
1700 HG	7/8" Triple Glazed	Double Hung	0.18	0.29	0.40	Yes
1700 HG w/ Thermal Gate	7/8" Tri-Pane	Double Hung	0.25	0.28	0.51	Yes
1700 HG	7/8" Dual Glazed	2 & 3 Lite Slider	0.29	0.28	0.52	Yes
1700 HG w/Grilles	7/8" Dual Glazed	2 & 3 Lite Slider	0.29	0.25	0.46	Yes
1700 HG	7/8" Triple Glazed	2 & 3 Lite Slider	0.21	0.22	0.40	Yes
1700 HG w/ Thermal Gate	7/8" Tri-Pane	2 & 3 Lite Slider	0.28	0.28	0.51	Yes
1700 HG	7/8" Dual Glazed	Hopper	0.30	0.30	0.55	Yes
3000 HG*†	7/8" Dual Glazed	Double Hung	0.26	0.29	0.54	Yes
3000 HG*† w/ Grilles	7/8" Dual Glazed	Double Hung	0.26	0.26	0.48	Yes
3000 HG*	7/8" Triple Glazed	Double Hung	0.18	0.23	0.41	Yes
3000 HG* w/ Thermal Gate	7/8" Tri-Pane	Double Hung	0.25	0.28	0.51	Yes
3000 HG*	7/8" Dual Glazed	2 & 3 Lite Slider	0.29	0.28	0.52	Yes
3000 HG* w/Grilles	7/8" Dual Glazed	2 & 3 Lite Slider	0.29	0.25	0.46	Yes
3000 HG*	7/8" Triple Glazed	2 & 3 Lite Slider	0.21	0.22	0.40	Yes
3000 HG* w/ Thermal Gate	7/8" Tri-Pane	2 & 3 Lite Slider	0.28	0.28	0.51	Yes
3000 HG*	7/8" Dual Glazed	Picture	0.27	0.30	0.55	Yes
5500 & 5700	7/8" Dual Glazed	1&2&3 Lite Casement & Awning	0.28	0.25	0.46	Yes
5500HG & 5700HG	7/8" Dual Glazed	1&2&3 Lite Casement & Awning	0.26	0.28	0.48	Yes
5500HG & 5700HG	7/8" Triple Glazed	1&2&3 Lite Casement & Awning	0.17	0.20	0.35	Yes
5500HG w/ ThermalGate & 5700 HG w/ ThermalGate	7/8" Tri-Pane	1&2&3 Lite Casement & Awning	0.24	0.30	0.46	Yes

\* Exclusively produced for American Home Center Inc. serving Maryland area.

† Orders manufactured on or after March 16th, 2009 HG = HEAT-Gate® Products HP = High Performance

Results in this report are windows tested without grilles.

U-Value: Measures the conduction of heat (Lower is better)

R-Value: Measures the resistance of heat flow (Higher is better) Test Source: Architectural Testing